

256i/306i

The new 256i/306i now makes
your office life easy.



256i / 306i

Digital multifunction system

Copy / Print / Scan / Fax

A3

Finally, a multifunctional system that you can use right away.

With the new 256i/306i you get a talented all-rounder that makes your office life easy. And it saves you time, space and energy!

Enjoy using an A3 multifunctional system without having to be a system administrator or reading through extensive user manuals. Your new 256i/306i almost works by itself. It can be used intuitively and is practically self-explanatory, whether you want to copy, print or scan.

And it can be easily integrated into almost any network environment. The **Quick Setup Wizard** guides you through, step by step.

But there are many more advantages that make the compact 256i/306i the ideal working partner in small departments or at the reception, for example, the **HyPAS³ interface**. It allows you to adapt the system to your specific needs and, with the integration of the optional Scan2OCR software, create text searchable documents while scanning. It's easy. You no longer need to bother with typing or waste time searching for documents.

And if you want to use other features such as **Follow-Me-Printing** or **archiving solutions**, you can add them later if you need to.

You can even assign your jobs to individual projects thanks to an **authentication** function. This helps you to control costs while ensuring better security for sensitive data.

Speaking of security: Your printouts are safe from prying eyes thanks to the **'private print'** feature and **direct printing** from a USB stick. Authentication for control of user authorization is also possible, for example, with the Card Authentication Kit (B)**.



Even with all of these flexible features and multifunctional capabilities, the 256i/306i operates at a low noise level and is highly energy efficient, running on just 0.9 Watts in sleep mode, with low weekly average consumption rates.



500-sheet finisher
Create dispatch-ready, stapled documents



1 x 500-sheet or 2 x 500-sheet paper cassettes, alternative: cabinet no. 62 (without illustration)

256i/306i

Multifunctional system
Model for entry to mid-level volumes

A3
Equipped with 1 x 500-sheet universal cassette, duplex unit, original feeder and job separator as standard



Intuitive operation



Automatic document processing



High security

What it'll do for you:

- ✿ **Intuitive and customisable:** The colour touch panel guarantees user-friendly operation. Commonly used features can be stored as favourites and recalled when needed.
- ✿ **Productive and efficient:** Copy and print up to 25 or 30 A4 pages per minute and scan up to 40 A4 pages per minute.
- ✿ **Easy, automatic features:** Original feeder with auto reverse function offering a capacity of 50 pages scans in black/white or colour, single or double-sided. Over 50 documents can be scanned for one job, if required.
- ✿ **Seamless communication:** The optional fax kit has a wide range of functions and ensures excellent communication.
- ✿ **Versatile and flexible:** Up to 3 x 500-sheet universal cassettes* and the 100-sheet multi bypass can process paper weights between 60 and 163 g/m² or 256 g/m², respectively.
- ✿ **Economical use of resources:** Long-lasting components ensure that the toner cartridge is the only part that needs to be replaced on a regular basis.



¹⁾requires optional memory

*optional

**optional, without illustration

256i/306i

Technical Data

General		Print System		Optional fax system (U)	
Type	Desktop	Type	Integrated within the system	Compatibility	Super G3
Function	Copy, print, scan, optional: fax	Print format	A6R–A3	Original format	max A3
Print technology	Laser b/w	Print resolution	600 x 600 dpi	Modem speed	33.6 kbps
Original feeder	50 sheet A4 (standard)	Processor	PowerPC 464/800 MHz	Transmission speed	3 seconds or less using JBIG
Original format	max A3 from platen glass	Interfaces	USB 2.0, 10/100/1000BaseTX, USB host (2), CF slot	Compression method	JBIG, MMR, MR, MH
Copy/print speed	256i: max 25 A4 pages/min and max 12 A3 pages/min 306i: max 30 A4 pages/min and max 15 A3 pages/min	Network protocols	TCP/IP, Net BEUI, EtherTalk	Fax resolution	Standard (200 x 100 dpi), fine (200 x 200 dpi), super fine (200 x 400 dpi), ultra fine (400 x 400 dpi)
1st page	7.8 seconds*	Operating systems	Windows 2000, XP, Vista, Windows 7, Server 2003/2008 R2, Novell NetWare, Linux, Mac OS X	Fax memory	16 MB (9.5 MB image memory)
Warm-up time	20 seconds	Emulations	PCL6 (5e, XL), KPDL 3 (PostScript 3 compatible), XPS, PRESCRIBE IIe	Abbreviated dial	200 numbers
Copy resolution	600 x 600 dpi	Functions	PDF/XPS direct printing, printing of e-mails, private printing, barcode printing	One touch dial	100 numbers
Greyscales	256	Scan system		Group dial	50 numbers
Paper feed	1 x 500 sheet universal cassette (A5R–A3), 100 sheet multi-bypass [A6R–A3])	Scan type	CCD colour and b/w	Operating systems	Windows XP, Vista, Windows 7, Server 2003/2008 R2
Paper weights	Universal cassette 60–163 g/m ² , multi-bypass 45–256 g/m ² , duplex 60–163 g/m ²	Scan format	max A3	Functions	Network fax driver, automatic redialling, delayed transmission
Paper output	250 sheet A4	Scan speed	b/w: max 40/14 A4 originals/min (simplex/duplex) with 300 dpi, colour: max 20/9 A4 originals/min (simplex/duplex) with 300 dpi	Options	
Job separator	50 sheet A4 (standard)	Scan resolution	200 dpi, 300 dpi, 400 dpi, 600 dpi	Finisher	DF-470 internal finisher (capacity: 500 sheet A4, stapling max 50 sheet A4)
System memory	1 GB RAM, max 2 GB RAM	Scan mode	Photo, text, photo/text, OCR	Paper feed	PF-470 (max 1 x 500 sheet universal cassette [A5R–A3]), PF-471 (max 2 x 500 sheet universal cassettes [A5R–A3])
Continuous copying	1–999 copies	File types	TIFF, PDF, JPEG, XPS	Other options	Card authentication kit (B), card reader holder (B), UG-33 ThinPrint® kit, IB-50 Gigabit Ethernet card, cabinet no. 62
Zoom	25%–400% in steps of 1%	Interfaces	10/100/1000BaseTX, USB 2.0		To enable HyPAS functionality additional memory is required.
Functions	Adjustable touch screen, duplex, direct printing from/scanning to USB stick, job reservation, N-up, Favorites, 100 management codes/20 easy logins, etc.	Network protocol	TCP/IP		The 256i and the 306i are manufactured in accordance with the requirements of the Energy Star Program.
Dimensions/Weight		Operating systems	Windows XP, Vista, Windows 7, Server 2003/2008 R2, Novell NetWare, Linux, Mac OS X		
Dimensions	694 x 590 x 590 mm (H x W x D)	Functions	Scan to SMB, scan to e-mail, scan to FTP, scan to USB, TWAIN scan, WIA scan, SMTP authentication, LDAP		
Weight	approx. 52 kg				
Environment					
Mains voltage	220/240 V, 50 Hz				
Power consumption	approx. 530/560 W in operation (256i/306i), approx. 114 W in stand-by mode, approx. 0.9 W in sleep mode				
Noise level	approx. 59.8 dB(A) in operation, approx. 44 dB(A) in stand-by mode (ISO 7779/9296)				
Safety	GS/TÜV, CE				

TA Triumph-Adler is the document business expert. We offer our clients individual analysis, consultancy and efficient document workflows - not only on paper, but also electronically and with long-term service. For whenever professional users manage, print, photocopy, fax, present or archive documents, or need to optimize processes, TA Triumph-Adler concepts and solutions are the first choice. Our customers benefit greatly from the user-optimized technologies offered by our innovative systems. TA Triumph-Adler and the TA Triumph-Adler logo are registered trademarks of TA Triumph-Adler GmbH. All other brand names are the registered trademarks of their respective owners.



TA Triumph-Adler